Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

6/8/2015

Agency Information

AGENCY:

**FBI** 

RECORD NUMBER: 124-90056-10014

RECORD SERIES:

HQ

AGENCY FILE NUMBER:

183-737-4

Document Information

ORIGINATOR:

**FBI** 

FROM:

HQ

TO: SF

TITLE:

DATE:

06/28/1976

PAGES: 1

SUBJECTS:

SALVATORE AMARENA

SAMMY PAXTON

**DOCUMENT TYPE:** 

PAPER, TEXTUAL DOCUMENT

CLASSIFICATION:

**RESTRICTIONS:** 

Redact

DATE OF LAST REVIEW:

06/09/1998

Unclassified

**OPENING CRITERIA:** 

**CURRENT STATUS:** 

**INDEFINITE** 

COMMENTS:

TT

v9.1

9

DocId:32326707 Page 1

Released and the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note). DATE: 11-14-2017

CODE

TELETYPE

NITEL

JUNE 28, 1976

TO SAC SAN FRANCISCO FROM DIRECTOR FBI

SALVATORE AMARENA; ET AL; RICO; OO: SAN FRANCISCO.

RE SAN FRANCISCO NITEL TO BUREAU JUNE 24, 1976.

SAN FRANCISCO SHOULD NOT USE INFORMANT SYMBOL NUMBER FOR THE MICROPHONE INSTALLATION AT SF 8677-PC'S APARTMENT. SF 8677-PC HAS AGREED TO TESTIFY IN THIS MATTER, AND THE MICROPHONE CAN ONLY BE MONITORED WHEN SF 8677-PC IS PRESENT IN THE ROOM WHERE THE CONVERSATION IS BEING CARRIED ON. THEREFORE, THE SOURCE WOULD NORMALLY BE CITED AS A PARTY TO ANY CONVERSATION BEING MONITORED.

SAN FRANCISCO WILL FOLLOW NORMAL PROCEDURE AND NOT REFER TO THE MICROPHONE AS A SOURCE BUT QUOTE THE ACTUAL PARTIES TO THE CONVERSATION AND ATTRIBUTE IT TO THE CONSENSUAL MONITORING.

Assoc. Dir. Dep. AD Adm. \_\_\_ Dep. AD Inv.\_\_\_\_ Asst. Dir.: Adm. Serv. Ext. Affairs \_ Fin. & Pers. Ident. \_

Inspection

Intell. Laboratory \_ Legal Coun. Plan. & Eval. \_ Rec. Mgnt.\_ Spec. Inv. Telephone Rm. (

San Francisco obtained AG approval for consensual monitoring of conversations in confidential source's apartment where source meets with LCN figures. San Francisco assigned a symbol number to the microphone installation and they are being advised not to use the symbol number in referring to the microphone installation.

> PEDERM DUMENT OF INVESTIGATION TO DALLY SALE COMMUNICATIONS SECTION T

TELETYPE UNIT [

DocId:32326707 Page 2